



PNEUPOWER.COM COMPRESSORRoom.COM

9/20/2022

# Air Compressors

Prices subject to change without notice.



Horse Power	Tank Size
15	120 Gallons
Voltage	CFM
208/230/460 3-Phase	55.9 ACFM @ 125 PSI

**QGS-15**  
**\$7,999**



Horse Power	Tank Size
15	120 Gallons
Voltage	CFM
208/230/460 3-Phase	55.9 ACFM @ 125 PSI

**QGS-15 w Dryer**  
**\$10,499**



Horse Power	Tank Size
20	120 Gallons
Voltage	CFM
208/230/460 3-Phase	60.8 ACFM @ 125 PSI

**QGS-20S TMD**  
**\$12,799**



Horse Power	Tank Size	Voltage	CFM
25	120 Gallons	208/230/460 3-Phase	99.4 ACFM @ 125 PSI

**QGS-25 TM**  
**\$14,999**



Horse Power	Tank Size	Voltage	CFM
25	120 Gallons	208/230/460 3-Phase	99.4 ACFM @ 125 PSI

**QGS-25 TMD**  
**\$17,999**



Horse Power	Tank Size	Voltage	CFM
30	120 Gallons	208/230/460 3-Phase	113.8 ACFM @ 125 PSI

**QGS-30 TM**  
**\$16,399**



Horse Power	Tank Size	Voltage	CFM
30	120 Gallons	208/230/460 3-Phase	113.8 ACFM @ 125 PSI

**QGS-30 TMD**  
**\$18,999**



Horse Power	Voltage	CFM
40	230/460 3-Phase	155 ACFM @ 125 PSI

**QGS-40FM**  
**\$16,299**



Horse Power	Voltage	CFM
40	230/460 3-Phase	155 ACFM @ 125 PSI

**QGS-40FMD**  
**\$18,799**

## Direct Drive Premium Rotary Screws



Dual-voltage standard

Horse Power	Voltage	CFM
50	230/460 3-Phase	208 ACFM @ 125 PSI

**QGS-50FMD**  
**\$24,799**



Tri-voltage standard

Horse Power	Voltage	Tank Size	CFM
30	208/230/460 3-Phase	120 Gallons	131.9 ACFM @ 125 PSI

**QGD-30TM**  
**\$20,499**



Horse Power	Voltage	CFM
50	460* 3-Phase	229.7 ACFM @ 125 PSI

\*230 volt available special order

**QGD-50**  
**\$22,999**

# QSI SERIES

## Premium Rotary Screw



Model	PSI	ACFM	Price*
QSI-50	125	229.9	\$26,565
QSI-60	125	281.6	\$31,566
QSI-75	125	345.7	\$37,492
QSI-100	125	472.6	\$44,342
QSI-125	125	553.7	\$51,898
QSI-150	125	699.0	\$64,769
QSI-175	125	809.5	\$69,140
QSI-200	125	934.2	\$74,914

\*Special price available only on stock units.  
Plus freight from Shreveport, LA warehouse.



Equipped with:  
NEMA 4 Electrical  
Package Pre-Filter  
TEFC Motors



### Q-Airend

New design utilizes a combination of cylindrical roller bearings to handle radial loads and angular contact bearing for thrust loads. This airend is designed for 100,000+ hours of continuous operation.



### Advanced Efficient Control

- **Total Control**
  - Touch screen, real time clock
  - Scheduling
- **Integrated Networking**
  - Up to six units
- **Intuitive Icon Based Controller**
- **Energy Savings**
  - Dual pressure band, timer based start/stop
  - Auto restart after power failure
- **ICONS Q-Connect**
- **Cellular Connecting**
  - Text message, email alerts via UpTime paid connectivity program

## Variable Speed Screws 15 - 400 HP

### QGSV-30



Horse Power	30
Voltage	460 3-Phase
PSI	75 - 175
CFM	139 ACFM @ 100 PSI

**\$17,599**

### QGV-50 Super Premium Rotary Screw



QFD Drive  
Unique thru-the-wall design. Allows for IP5X protection

Touch Controller  
Advanced color display



Horse Power	Voltage	PSI	CFM
50	230/460 3-Phase	75 - 150	255.7 ACFM @ 100 PSI

**\$31,426**

# Quincy QT Series Reciprocating Air Compressors



- ▶▶ Two-Stage **PRO**
- ▶▶ 230 volt, single phase
- ▶▶ No Starter Required

Horse Power	Tank Size
5	60 Gallons

Voltage	CFM
230 1-Phase	15.2 ACFM @ 175 PSI

**2V41C60VC**  
**\$1,899**



- ▶▶ Two-Stage **PRO**
- ▶▶ 230 volt, single phase
- ▶▶ Combo Starter / PS

Horse Power	Tank Size
5	80 Gallons

Voltage	CFM
230 1-Phase	17.2 ACFM @ 175 PSI

**251CS80VCB**  
**\$3,029**

Full Size Industrial Single Phase Motor



- ▶▶ Two-Stage **PRO**
- ▶▶ 230 or 460 volt, Three phase
- ▶▶ Starter Mounted & Wired

Horse Power	Tank Size
5	80 Gallons

Voltage	CFM
230/460 3-Phase	17.2 ACFM @ 175 PSI

**253DS80VCB**  
**\$3,029**

Prices subject to change without notice.



- ▶▶ Two-Stage **PRO**
- ▶▶ 230 volt, Single Phase
- ▶▶ Starter Mounted & Wired

Horse Power	Tank Size
7.5	80 Gallons

Voltage	CFM
230 1-Phase	22.6 ACFM @ 175 PSI

**271CS80VCB**  
**\$3,599**



- ▶▶ Two-Stage **PRO**
- ▶▶ 230 or 460 volt, Three Phase
- ▶▶ Starter Mounted & Wired

Horse Power	Tank Size
7.5	80 Gallons

Voltage	CFM
230/460 3-Phase	22.6 ACFM @ 175 PSI

**273CS80VCB**  
**\$3,399**



## Optional NO BULL Warranty



3-Year Pump  
2-Year Package  
Warranty

Purchase Extended Warranty Kit (EWK) with compressor, register on-line and properly maintain the compressor for the three year-period when used according to the Instruction Manual

Part Number	Description	Price
2022163600	EWK-1 Single Stage Kit	\$126.18
2022163601	EWK-2 QT-54 Kit	\$198.30
2022163602	EWK-3 QT-5/QT-7.5 Kit	\$293.90
2022163603	EWK-4 QT-10 Kit	\$538.83
2022163604	EWK-5 QT-15 Kit	\$594.13

Reciprocating Air Compressor 5 - 15HP

## QTG-14K-30AM G214K30HCD

HIGH OUTPUT



**\$3,299**

Horse Power	Tank Size	CFM
14 Gasoline	30 Gallons	23.6 ACFM @ 175 PSI

## QTG-13H-30AM G213H30HCB

HONDA



**\$3,499**

Horse Power	Tank Size	CFM
13 Gasoline	30 Gallons	23.6 ACFM @ 175 PSI



- ▶▶ Two-Stage
- ▶▶ 230 or 460 volt, Three phase
- ▶▶ Starter Mounted & Wired

Horse Power	Tank Size
10	120 Gallons

Voltage	CFM
230/460 3-Phase	35.0 ACFM @ 175 PSI

**P2103DS12HCB**  
**\$4,499**



- ▶▶ Two-Stage
- ▶▶ 230 or 460 volt, Three phase
- ▶▶ Starter Mounted & Wired

Horse Power	Tank Size
15	120 Gallons


Voltage	CFM
230/460 3-Phase	51.0 ACFM @ 175 PSI

**2153DS12HCA**  
**\$6,299**

LS Option - Constant Run or Start/Stop Operation w/ Suction Valve Unloaders!

## MAX UPGRADE

### QT Max Package



- ODP Slow Speed Motor
- Motor Overload Protection
- Automatic Tank Drain
- Dual Control
- Low Oil Level Shutdown
- Air Cooled Aftercooler



**2153DS12HCAxxM**  
**\$7,099**

# QPVS

**Variable Speed Refrigerated Air Dryers**  
210 - 2100 cfm

**Energy Savings and Constant Stable Dew Point**



**Features:**

- Rugged ABB Inverter
- Reduced pressure Control Touch Controller
- Built in ICONS for online monitoring
- 2 Year Package loss heat exchanger
- Networkable Q-e Warranty
- 10 Year Heat Exchanger Warranty
- Quick Return on Investment



Model	Capacity (scfm)	Connection	Voltage (Standard)	Price
QPVS-210	210	1-1/2" NPT	460/3/60	\$6,843
QPVS-300	300	2" NPT	460/3/60	\$9,075
QPVS-380	380	2" NPT	460/3/60	\$10,548
QPVS-465	465	2-1/2" NPT	460/3/60	\$11,654
QPVS-550	550	2-1/2" NPT	460/3/60	\$12,884
QPVS-635	635	3" NPT	460/3/60	\$14,023
QPVS-850	850	3" NPT	460-3-60	\$18,444
QPVS-1050	1050	3" NPT	460-3-60	\$22,844
QPVS-1600	1600	4" FLG	460-3-60	\$30,450
QPVS-1800	1800	6" FLG	460-3-60	\$33,409
QPVS-2100	2100	6" FLG	460/3/60	\$36,894

## QPNC - Non-Cycling Refrigerated Air Dryers

Model	Capacity (scfm)	Connection (inches NPT)	Voltage (Standard)	Price	Recommended Pre-filter	Pre-filter Price
QPNC 64	50	1/2	115-1-60	\$2,199	QMF-50' (1/2")	\$298
QPNC 83	75	1	115-1-60	\$2,299	QMF-105' (1")	\$576
QPNC 106	100	1	115-1-60	\$2,499	QMF-105' (1")	\$576
QPNC 127	125	1 1/2	115-1-60	\$2,899	QMF-321' (1 1/2")	\$976
QPNC 184	175	1 1/2	230-1-60	\$3,699	QMF-321' (1 1/2")	\$976
QPNC 229	200	1 1/2	230-1-60	\$4,699	QMF-321' (1 1/2")	\$976
QPNC 297	250	1 1/2	460-3-60	\$4,999	QMF-321' (1 1/2")	\$976
QPNC 354	300	2	460-3-60	\$5,499	QMF-450' (2")	\$1,255
QPNC 424	360	2	460-3-60	\$7,599	QMF-450' (2")	\$1,255
QPNC 530	500	2 1/2	460-3-60	\$9,899	QMF-700' (2")	\$1,453
QPNC 663	600	2 1/2	460-3-60	\$9,999	QMF-700' (2")	\$1,453
QPNC 750	750	3"	460-3-60	\$14,899	QMF-900' (3")	\$2,095
QPNC 1000	1000	3"	460-3-60	\$19,999	QMF-1250 (3")	\$2,485
QPNC 1250	1250	3"	460-3-60	\$23,899	QMF-1250 (3")	\$2,485
QPNC 1600	1600	6" Flg	460-3-60	\$26,999	QMF-1800 (4" Flg)	\$7,268
QPNC 2200	2200	6" Flg	460-3-60	\$35,499	QMF-2400 (4" Flg)	\$7,283

**FEATURES**  
Zero Loss Drain  
38 °F Dew Point



# COOL

**Compact & Efficient Refrigerated Air Dryers**  
15 - 275 cfm

## COOL Refrigerated Air Dryers

The compact & efficient COOL range of refrigerated dryers offer reliable components in a simple vertical lay-out. This design makes them simple to install while saving valuable floor space. Economical COOL dryers deliver a 50°F dew point.



Model	Capacity (scfm)	Connection (inches NPT)	Voltage (Standard)	Price
COOL 15	15	1/2	115-1-60	\$1,099
COOL 25	25	1/2	115-1-60	\$1,299
COOL 50	50	1/2	115-1-60	\$1,999
COOL 100	100	1	115-1-60	\$2,199
COOL 150	150	1-1/2	230-1-60	\$2,699
COOL 200	200	1-1/2	230-1-60	\$3,299
COOL 250	250	1-1/2	230-1-60	\$3,699
COOL 275	275	1-1/2	230-1-60	\$3,999

Prices subject to change without notice.

# Condensate Drains

## Electronic Timer



**\$149**  
**EAD-25ASM**  
 Includes:  
**Strainer**  
**Ball Valve**



**Filter Mountable**  
**Automatic Float Drain**  
**146395 \$305**



**ZERO AIR LOSS**

**DRAINWALL**  
**DH50**  
**\$1,078**

**Freeze Protection**  
**800230**  
**115 Volt, 3 Prong**  
**Grounded Plug**  
**\$298.89**

- Saves Energy
- No Wasted Air
- Operates on Demand
- See-Through vessel
- 1/2" full port ball valve

1/2" NPT



**PAM203**  
**\$279**  
**Filter Mountable**



**Excellent Tank Drain**  
 central devices, LLC

**EH38**  
**\$175**



**2010344603**  
**\$1,490**



**Water HOG**  
**LH50**  
**\$360**

Use on filters and drip legs

## Automatic Tank Drain Kit use with 5 HP & smaller air compressors

**WV-1-1K**  
**\$88**



- Includes:
- WV-1 Drain Valve with Push-In Fitting Installed
  - Push-to-Connect T, Petcock
  - 8 ft. of Nylon Tubing
  - Installation Instructions that Cover Most Compressor Applications

## Moisture Separators

Mechanical moisture separators are designed to remove bulk liquids and large volumes of water. They are typically installed downstream of aftercoolers, air receivers, refrigerated air dryers and at strategic points of use throughout the compressed air distribution system. The design employs an internal spinner to create a centrifugal action that effectively removes large quantities of water.



Model	Thread Size	CFM	Price
SPC155T	1/2"	50	\$182
SPC235T	3/4"	138	\$187
SPC365T	1"	215	\$262
SPC770T	1 1/2"	452	\$321
SPC1280T	2"	753	\$546
PMH WS 850	2 1/2"	850	\$1,425
PMH WS 1500	3"	1500	\$2,400

Drain Cocks	Drain Cock with Pull Cord 1/4" NPT DP25	Standard Drain Cock 1/4" NPT DCEO-25
	\$13.95	\$2.50

# QOCS Condensate Purifier



Quincy offers with the new QOCS generation a patented way to turn oily condensate from mineral oil, synthetic oil as well as polypropylene based lubricants into harmless water that can be drained away, while capturing the oil to be easily disposed of in an environmentally friendly manner.

Model	Capacity scfm*	Price
QOCS 106	106	\$627
QOCS 180	180	\$1,049
QOCS 360	360	\$1,551
QOCS 636	636	\$2,346
QOCS 1325	1325	\$3,350


\*See brochure for sizing instructions and technical data

Prices subject to change without notice.

# Industrial ASME Coded Vertical Air Receivers with Durable Powder Coat Finish



Part #	Gal	Max Working Pressure	Lbs	Dimensions in Inches					NPT Openings					Price	
				OD	TL	TH	A	B	C	D	E	F	G		H
A10049PC	120	200	329	24	67	75	21	8	1	2	1/2	2	1 1/2	1/4	\$1,753
A10053PC	240	200	497	30	84	92	27	8	1	2	1/2	2	1 1/2	1/4	\$3,066
A10129PC	500	165	950	36	116	124	33	8	1	2	1/2	3	1 1/2	1/4	\$5,540



Tank Kit 1" Safety Valve, 165 psi, 1358 scfm with 2 1/2" liquid filled gauge, 1/2" Ball Valve MXM use with A10129PC and up to 250 HP air compressor.

**TKG165-Q300MG \$199**

Tank Kit 1 1/2" x 1 1/2" Safety Valve, 165 psi, 1750 scfm with 4" liquid filled gauge use with A10129PC and up to 300 HP air compressor.

**TKM165-R300 \$580**

Tank Kit 1/2" Safety Valve, 200 psi, 358 scfm with 2 1/2" liquid filled gauge, 1/2" Ball Valve MXF use with A10049PC and up to 60 HP air compressor.

**TKC200-Q300MC \$99**

Tank Kit 1" Safety Valve, 200 psi, 1624 scfm with 2 1/2" liquid filled gauge, 1/2" Ball Valve MXM use with A10053PC and up to 300 HP air compressor.

**TKG200-Q300MG \$199**

## Gauges



Gauges are dual scale psi/kpa. Dry gauges have a black steel case with chrome bezel. Liquid filled gauges have a stainless steel case and bezel. All gauges have brass internals and brass 1/4" NPT connection.

PART #	Description	Price
<b>Dry Gauges/Back Mount</b>		
PSB20-300	2", 0-300 PSI	\$9.99
PSB25-300	2 1/2", 0-300 PSI	\$12.95
PSB45-300	4 1/2", 0-300 PSI	\$39.99
<b>Dry Gauges/Lower Mount</b>		
PSL20-300	2", 0-300 PSI	\$9.99
PSL25-300	2 1/2", 0-300 PSI	\$12.95
PSL45-300	4 1/2", 0-300 PSI	\$39.99
<b>Liquid Filled Gauges/Back Mount</b>		
LFSB20-300	2", 0-300 PSI	\$29.99
LFSB25-300	2 1/2", 0-300 PSI	\$32.50
LFSB40-300	4", 0-160 PSI	\$79.99
<b>Liquid Filled Gauges/Lower Mount</b>		
LFSL25-300	2", 0-300 PSI	\$29.99
LFSL40-300	4", 0-300 PSI	\$79.99

## ASME Coded Pressure Relief Valves



Part #	NPT	Pressure	Flow	Price
2961-75	1/4"	75 PSI		\$37.33
2961-100	"	100 PSI		\$37.33
2961-125	"	125 PSI		\$44.31
2961-150	"	150 PSI		\$34.94
2961-175	"	175 PSI		\$44.96
2961-200	"	200 PSI		\$36.81
2961-250	"	250 PSI		\$45.09
2961-300	"	300 PSI		\$39.39
SB50-100	1/2"	100 PSI	413	\$59.10
SB50-125	"	125 PSI	504	\$59.10
SB50-150	"	150 PSI	595	\$59.10
SB50-175	"	175 PSI	686	\$59.10
SB50-200	"	200 PSI	777	\$59.10

## UL & CSA Approved

Available in sizes 1/4" through 4" Forged Brass, Full Port, 600 CWP, 150 WSP Service. Suitable for vacuum service to 29.9" HG, Teflon® o-rings through 1-1/4". Viton® o-ring on stem 1-1/2" & 2". Hard chrome plated brass ball, steel handle with vinyl grip. Operating temperatures -40 to +365 degrees F.



Part #	Size	Price
FBB-25	FxF 1/4"	\$7.95
FBB-38	FxF 3/8"	\$7.95
FBB-50	FxF 1/2"	\$9.99
FBB-75	FxF 3/4"	\$14.99
FBB-100	1"	\$29.39
FBB-125	FxF 1-1/4"	\$36.16
FBB-150	FxF 1-1/2"	\$51.16
FBB-200	FxF 2"	\$73.42
FBB-250	FxF 2-1/2"	\$183.64
FBB-300	FxF 3"	\$270.26



## ASME Soft Seat

All Brass with Stainless Steel Springs

Maximum Temperature 250 F

Available Stock Pressures:

- 125 psi
- 135 psi
- 165 psi
- 140 psi
- 200 psi

Part #	NPT	Pressure	Flow	Price
SB75-165	3/4"	165 PSI	649	\$65.48
SB75-200	3/4"	200 PSI	777	\$65.48
SW10-165	1"	165 PSI	1358	\$78.52
SW10-200	1"	200 PSI	1624	\$78.52

## ASME Hard Seat Side Venting

Cast Bronze with Stainless Steel Springs

Maximum Temperature 406 F

Part #	NPT	Pressure	Flow	Price
19MGG-165	1-1/2" x 1-1/2"	165 PSI	1750	\$500.14
19MGG-200	1-1/2" x 1-1/2"	200 PSI	2094	\$500.14
19MHH-165	2" x 2"	165 PSI	2731	\$747.02
19MHH-200	2" x 2"	200 PSI	3267	\$747.02

Prices subject to change without notice.

# Air Preparation Units



## Filter-Regulator Combo

Includes Gauge



### SPECIFICATIONS

PIPE SIZE	Part Number	Flow Rate cfm @ 87 psi $\Delta P = 14$ psi	Max Pressure psi	Price
1/4"	TM SM201 G <sup>1</sup>	19.43	174	\$62.42
3/8"	TM SM202 G <sup>1</sup>	63.54	174	\$83.63
1/2"	TM SM203 G <sup>1</sup>	105.96	174	\$113.86
3/4"	TM 204 G <sup>1</sup>	150	174	\$291.36
1"	TM 205 G <sup>1</sup>	194	174	\$297.26
1/2"	TMHP 203 HG <sup>2</sup>	105.96	280	\$209.08

<sup>1</sup> MT CA1040 Square Gauge, 1/8" MBSP, 0 - 145 psig

<sup>2</sup> MT CA1640 Square Gauge, 1/8" MBSP, 0 - 232 psig

## Filter

Max. operating poressure: 174 psi

### SPECIFICATIONS

PIPE SIZE	Part Number	Flow Rate cfm @ 87 psi $\Delta P = 14$ psi	Filtration $\mu m$	Price
1/4"	TF 201	28.24	25	\$33.99
3/8"	TF 202	79.42	25	\$56.42
1/2"	TF 203	123.55	25	\$63.06
3/4"	TF 204T	176	25	\$178.60
1"	TF 205T	229	25	\$186.10
1/4"	TC 201	28.24	0.01	\$81.38
1/2"	TC 203	123.55	0.01	\$122.10

## Regulator

Includes Gauge



### SPECIFICATIONS

PIPE SIZE	Part Number	Flow Rate cfm @ 87 psi $\Delta P = 14$ psi	Max Pressure psi	Price
1/4"	TR 201G <sup>1</sup>	21.18	174	\$31.28
3/8"	TR 202G <sup>1</sup>	88.25	174	\$46.97
1/2"	TR 203G <sup>1</sup>	141.2	174	\$69.18
3/4"	TR 204G <sup>2</sup>	176	174	\$185.72
1"	TR 205G <sup>2</sup>	211	174	\$192.42

<sup>1</sup> MT CA1040 Square Gauge, 1/8" MBSP, 0 - 145 psig included with: TR 201, TR 202 and TR 203

<sup>2</sup> MT RA1050T Round Gauge, 1/4" NPT, 0 - 145 psig included with: TR 204 and TR 205

## Filter-Regulator-Lubricator

3-piece-set includes gauge & wall bracket

### SPECIFICATIONS

PIPE SIZE	Part Number	Flow Rate cfm @ 87 psi $\Delta P = 14$ psi	Max Pressure psi	Price
1/4"	TT SM201	17.65	174	\$115.90
3/8"	TT SM202	70.60	174	\$153.30
1/2"	TT SM203	123.54	174	\$206.40



PAINTING

## Micro-Filter Assembly

2-piece-set includes regulator, gauge & wall bracket

### SPECIFICATIONS

PIPE SIZE	Part Number	Flow Rate cfm @ 87 psi $\Delta P = 14$ psi	Filtration $\mu m$	Price
1/4"	TB CSM201	8.83	5 & 0.01	\$155.50
1/2"	TB CSM203	52.95	5 & 0.01	\$255.40

Max. operating poressure: 174 psi



Prices subject to change without notice.

## Portable Micro-Filter Assembly

PAINTING

Portable Gantry

Two-Stage Filtration:

- 5 $\mu m$  first stage
- 0.01 $\mu m$  second stage

Regulator

Dual Outlet (IS06)

- PREVOS1 SAFETY Coupling

Chemical Resistant Gauge



PTC IS

\$442.80

## Float Drain Assembly



### SPECIFICATIONS

Filter Port SIZE	Part Number	Price
1/4"	TD F1	\$72.20
3/8"	TD F2	\$73.61
1/2"	TD F3	\$76.22
3/4"	TD F3	\$76.22
1"	TD F3	\$76.22

## Wall Bracket



### SPECIFICATIONS

Filter Port SIZE	Part Number	Price
1/4"	TA S1	\$6.21
3/8"	TA S2	\$8.16
1/2"	TA S3	\$12.80
3/4"	TA S45	\$25.52
1"	TA S45	\$25.52

## Module Connector



### SPECIFICATIONS


Filter Port SIZE	Part Number	Price
1/4"	TA M1	\$4.25
3/8"	TA M2	\$5.99
1/2"	TA M3	\$9.60
3/4"	TA M45	\$20.00
1"	TA M45	\$20.00



toll free: 800.325.9830  
email: info@pneupower.com  
web: pneupower.com



AIRnet Advanced Aluminum Piping System is fast and easy to install and flexible for the future. It produces reliable distribution networks for Compressed Air, Nitrogen and Vacuum.



Pipe Sizes: 1/2" to 6"  
 Max. Pressure: 232 psig for 1/2" - 3/4" - 2" - 4"  
 189 psig for 2-1/2" - 3" - 6"

Quickdrops designed for condensate free droplines

One of our installation professionals can assist in sizing and material take offs or complete turn key installation.

## INDUSTRIAL INTERCHANGE PREVOS1 SAFETY QUICK COUPLING



1/4" ID Passage/Body



3/8" ID Passage/Body



1/2" ID Passage/Body



Part #	Thread	Price
ISI 061201	1/4" FNPT	\$29.78
ISI 061202	3/8" FNPT	\$30.44
ISI 061203	1/2" FNPT	\$32.41



Part #	Thread	Price
ISI 061251	1/4" MNPT	\$30.43
ISI 061252	3/8" MNPT	\$30.43
ISI 061253	1/2" MNPT	\$32.40



Part #	Thread	Price
IRP 066201	1/4" FNPT	\$1.97
IRP 066202	3/8" FNPT	\$4.12



Part #	Thread	Price
IRP 066251	1/4" MNPT	\$1.97
IRP 066252	3/8" MNPT	\$2.80

Nominal Flow 34 cfm @ 100 psig

Nominal Flow 81 cfm @ 100 psig

Nominal Flow 148 cfm @ 100 psig

Part #	Thread	Price
ISI 081201	1/4" FNPT	\$35.77
ISI 081202	3/8" FNPT	\$35.84
ISI 081203	1/2" FNPT	\$47.72

Part #	Thread	Price
ISI 081251	1/4" MNPT	\$35.37
ISI 081252	3/8" MNPT	\$41.27
ISI 081253	1/2" MNPT	\$41.27

Part #	Thread	Price
IRP 086201	1/4" FNPT	\$5.16
IRP 086202	3/8" FNPT	\$4.12
IRP 086203	1/2" FNPT	\$6.76

Part #	Thread	Price
IRP 086251	1/4" MNPT	\$3.06
IRP 086252	3/8" MNPT	\$3.30
IRP 086253	1/2" MNPT	\$6.04

Part #	Thread	Price
ISI 111202EB	3/8" FNPT	\$64.59
ISI 111203EB	1/2" FNPT	\$63.22
ISI 111204EB	3/4" FNPT	\$67.41

Part #	Thread	Price
ISI 111252EB	3/8" MNPT	\$67.33
ISI 111253EB	1/2" MNPT	\$64.32
ISI 111254EB	3/4" MNPT	\$67.76

Part #	Thread	Price
IRP 116202	3/8" FNPT	\$8.22
IRP 116203	1/2" FNPT	\$9.36
IRP 116204	3/4" FNPT	\$12.08

Part #	Thread	Price
IRP 116252	3/8" MNPT	\$9.14
IRP 116253	1/2" MNPT	\$9.36
IRP 116254	3/4" MNPT	\$11.55

## Economy Couplers & Plugs

- Industrial Interchange
- 1/4" Brass Body
- 1/4" Thread
- Max. pressure 300 psig

	150	NPT Coupler	\$ 6.05
	152	FPT Coupler	\$ 6.53
	1502	NPT Plug	\$1.88
	1501	FPT Plug	\$ 1.93

•10 psid @ 35 scfm & 100 psig

## Enclosed Hose Reel - Economy - PU/PVC Hose



Part #	ID X Length	Price
DRF 1010IS	3/8" X 33'	\$274.80
DRF 1012IS	3/8" X 40'	\$288.60
DRF 1015IS	3/8" X 50'	\$323.10

- 180° swiveling bracket
- 3.3' inlet hose
- Max. pressure: 174 psi
- Temperature: 5° - 149°F
- Outlet: prevos1 ISI 06

## Enclosed Hose Reel - Industrial - Rubber Hose



Part #	ID X Length	Price
DGF 1010IS	3/8" X 33'	\$576.00
DGF 1015IS	3/8" X 40'	\$576.00
DGF 1310IS	1/2" X 33'	\$601.10

- Fixed bracket
- Inlet: 3/8" FBSP
- Inlet DGF 1310: 1/2" MBSP
- Max. pressure: 174 psi
- Temperature: 5° - 149°F
- Outlet: prevos1 ISI 06
- Outlet DGF 1310: ISI 08

Prices subject to change without notice.